

Signs and Symptoms – WS V4.4.6

Name of Activity:

1. Entering and Updating Signs and Symptoms
2. Setting “Onset” Symptom

Role performing Activity:

Location:

Department:

Document Owner:

Date Prepared:

May 14, 2018

Last Revision:

July 2022

Date Approved:

Essential Tasks: Investigation in context.

1. LHN > INVESTIGATION > SIGNS AND SYMPTOMS

- Scroll down to list of preset signs and symptoms
- Click on radio button beside preset symptom(s)
- Click on “UPDATE” button
- Select “YES” from drop down list under Present
- Select “ONSET DATE” (if available)
- Select “Reported By” (if available)
- Click “Apply Update” Button
- Click “SAVE” Button

Sign or Symptom

* Required field

* Sign or Symptom:

Preset: No

Onset: No

* Present:

Onset Date/Time:

 / / : : CST Estimated:

yyyy mm dd hh mm

Recovery Date/Time:

 / / : : CST Estimated:

yyyy mm dd hh mm

Duration:

 Days + Hours + Minutes (Duration = Recovery Date/Time - Onset Date/Time)

Reported By:

Add Clear

Row Actions:

Select All Update Set Onset Clear Onset

Reason for Deletion :

Present:

Onset Date:

 / /

yyyy mm dd

Reported By:

Apply Update

	Sign/Symptom	Present	Onset Date/Time	Recovery Date/Time	Duration	Reported By	Details Exist
<input type="checkbox"/>	Abscess - scalp						No
<input type="checkbox"/>	Arthritis						No
<input type="checkbox"/>	Arthritis - septic						No
<input type="checkbox"/>	Asymptomatic						No

Set Onset for one of the sign/symptoms (except Hep C, HIV, AIDS, CJD and Syphilis) [Onset is defined as the earliest clinical symptom with earliest onset date that is relevant to the diagnosis. If more than one symptom on the earliest date, choose the symptom that is most consistent with the disease being investigated.

- Click radio button beside symptom (1)
- Click “Set Onset” Button (2)
(this is different from the ‘onset date’ above.)
- Select “SAVE” Button

NOTE: (Onset) will appear beside the selected symptom (3)

Sign/Symptom	Present	Onset Date/Time	Recovery Date/Time
<input checked="" type="checkbox"/> Abdominal - cramping (Onset)	Yes	2019 Jan 12 00:00 CST	
<input type="checkbox"/> Asymptomatic	No		
<input type="checkbox"/> Dehydration	Yes	2019 Jan 15 00:00 CST	

2. If details exist for a Sign and Symptom that require documentation:

- Click on the “NO” hyperlink under “details exist” column beside the symptom
Observation Details window opens
- Update Observation date (defaults to today’s date)
- Enter Observation Details (include who provided the information)
- Select “Observed By” from drop down list (note: this field incorrectly displays the logged in user rather than the selected source after saving. A fix has been requested – in the interim, be sure to include who provided the info as stated in the point above)
- Click on “ADD” Button
- Click on SAVE

NOTE: The “NO” hyperlink will now be “YES” for that symptom. Click on “YES” to see details

3. To add Sign and Symptom not in preset:

- Select sign and symptom from master dropdown list
- Select Yes from Present drop down list
- Select Onset Date/Time, Recover Date/Time – (as applicable)
- Select Reported By from drop down list
- Click on “Add” Button
- Click on “SAVE” Button

NOTE: This sign and symptom will be added to the preset list below

4.	Update an existing Sign and Symptom <ul style="list-style-type: none">➤ Select the radio button beside the sign and symptom that is requiring an update➤ Click on “Update” Button➤ Scroll up to the top of the page. The sign and symptom will populate.➤ Add additional details as needed.➤ Click “Apply Update” Button.➤ Click “SAVE” Button..
5.	Adding Signs and Symptoms throughout the monitoring period <ul style="list-style-type: none">➤ When public health conducts active monitoring of cases, any new signs and symptoms can be added with the onset date to reflect progression of illness. This is not required in all instances, however at this time, it does apply to case monitoring of monkeypox.